



2350 Wet Look Gloss Sealer

SECTION 1

PRODUCT AND COMPANY IDENTIFICATION

Product Name: 2350 Wet Look Gloss Sealer
Version: 1
Identifier 1: White Tint Base
Identifier 2: N/A
Chemical Family: Liquid Mixture
Product Use: Paint medium for mixing colors.

Company Information: Anvil Paints & Coatings, Inc.
1255 Starkey Road
Largo, FL 33771
Phone: (800) 822-6776
Internet Address: www.anvilpaints.com

24 Hour Emergency Contact: INFOTRAC
1-800-535-5053 (US & Canada)
1-353-323-3500 (International)

SECTION 2

HAZARD(S) IDENTIFICATION

OSHA/HCS Status: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Hazard Classification: N/A

Pictogram(s): N/A

Signal Word: N/A

Hazard Statements: No known significant effects or critical hazards.

Precautionary Statements: N/A

SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients

Ingredient Name	CAS Number	Concentration (%)
Propane-1,2-Diol	57-55-6	≥1.00 - ≤3.00

The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4**FIRST-AID MEASURES**

Eye Contact:	Immediately flush eye(s) with plenty of water, occasionally lifting the upper and lower eyelids. Remove contact lenses. Get medical attention if irritation occurs.
Inhalation:	Move to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin Contact:	Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.
Ingestion:	Wash out mouth with water. Remove dentures if any. Move victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do NOT induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most Important Symptoms and Effects, Both Acute and Delayed:	No known significant effects or critical hazards.
Protection of First-Aiders:	No action shall be taken involving any personal risk or without suitable training.
Notes to Physician:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. See toxicological information (Section 11).

SECTION 5**FIRE-FIGHTING MEASURES**

Suitable Extinguishing Media:	Use an extinguishing agent suitable for the surround fire.
Unsuitable Extinguishing Media:	N/A
Specific Precautionary Methods:	No specific fire or explosion hazard.
Hazardous Thermal Decomposition Products:	Decomposition products may include the following materials: Carbon Dioxide Carbon Monoxide
Special Protective Actions for Fire-Fighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special Protective Equipment For Firefighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6**ACCIDENTAL RELEASE MEASURES**

For Non-Emergency Personnel:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For Emergency Responders:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For Non-Emergency Personnel".

Environmental Precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).

Cleanup: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite, or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1940.120).

SECTION 7

HANDLING AND STORAGE

Protective Measures: Put on appropriate personal protective equipment (see Section 8).

Advice on General Occupational Hygiene: Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. See also Section 8 for additional information on hygiene measures.

Storage Requirements: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SECTION 8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Ingredient Name	Basis	Value	Exposure Limit(s)* / Form of Exposure
Propane-1,2-Diol	AIHA	WEEL	TWA: 10 mg/m ³ 8 hours.

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this Safety Data Sheet.

Engineering Measures: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental Exposure Controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Hygiene Measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment:

Respiratory Protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Hand Protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eye/Face Protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin and Body Protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

SECTION 9**PHYSICAL AND CHEMICAL PROPERTIES**

Physical State:	Liquid (Solution)	Flammability:	N/A
Color:	Milky/Amber	Explosive Limits:	N/A
Odor:	Non-descript	Vapor Pressure:	N/A
Odor Threshold:	N/A	Vapor Density:	N/A
pH:	N/A	Relative Density:	1.791
Melting Point:	N/A	Solubility:	N/A
Freezing Point:	N/A	Partition Coefficient:	N/A
Boiling Point/Range:	N/A	Decomposition Temp:	N/A
Flash Point:	N/A	Viscosity:	N/A
Evaporation Rate:	N/A	VOC Content:	N/A

SECTION 10**STABILITY AND REACTIVITY**

Reactivity:	No specific test data related to reactivity available for this product or its ingredients.
Chemical Stability:	The product is chemically stable.
Possibility of Hazardous Reactions:	Stable under recommended storage conditions.
Conditions to Avoid:	No specific data.
Incompatible Materials:	Reactive or incompatible with oxidizing materials.
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11**TOXICOLOGICAL INFORMATION****Acute Toxicity**

Ingredient Name	Result	Species	Dose/Exposure
Propane-1,2-diol	LD ₅₀ Dermal	Rabbit	20,800 mg/kg
	LD ₅₀ Oral	Rat	20 g/kg

Likely Routes of Exposure: Dermal and eye contact. Inhalation and ingestion.

Other Information: There are no known significant health effects or critical hazards at the effective release date of this Safety Data Sheet.

SECTION 12

ECOLOGICAL INFORMATION

Toxicity Data

Ingredient Name	Species	Test Results	Exposure
Propane-1,2-Diol	Daphnia - <i>Daphnia magna</i>	Acute EC50 > 110 ppm Fresh water	48 Hours
	Crustaceans – <i>Ceriodaphnia dubia</i>	Acute LC50 1,020,000 µg/L Fresh water	48 Hours
	Fish - <i>Oncorhynchus mykiss</i>	Acute LC50 710,000 µg/L Fresh water	96 Hours

Bioaccumulative Potential

Ingredient Name	LogP _{ow}	BCF	Potential
Propane-1,2-Diol	-1.07	-	Low

Other Adverse Effects: No known significant effects or critical hazards.

SECTION 13

DISPOSAL CONSIDERATIONS

Disposal Methods:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14

TRANSPORT INFORMATION

	DOT Classification	IMDG	IATA
UN Number	Not Regulated	Not Regulated	Not Regulated
UN Proper Shipping Name	-	-	-
Transport Hazard Class(es)	-	-	-
Packing Group	-	-	-
Environmental Hazards	No	No	No

AERG: Not Applicable

Special Precautions for User: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

SECTION 15

REGULATORY INFORMATION

U.S. Federal Regulations: **TSCA Inventory (8b):** Not Determined
Clean Water Act 311: Formaldehyde

Clean Air Act: This product does contain hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(t) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

DEA List I & II Chemicals: This material does not contain any components within the DEA List I Chemicals (Precursor Chemicals) or the DEA List II Chemicals (Essential Chemicals).

SARA 302/304:

Ingredient Name	Percentage	EHS	SARA 320 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
Formaldehyde	≤0.00001	Yes	500	73.9	100	14.8

SARA 304 RQ: 52,910,052,910.1 lbs / 24,021,164,021.2 kg [3,543,115,684.5 gal / 13,412,151,882.3 L]

SARA 311/312: No data available.

SARA 313: No data available.

State Regulations:

State	Listed Component(s)
Massachusetts	None of the components are listed
New York	None of the components are listed
New Jersey	Propane-1,2-Diol
Pennsylvania	Propane-1,2-Diol

California Prop 65:

WARNING: This product can expose you to chemicals including Diethanolamine and Formaldehyde, which are known to the State of California to cause [cancer](#). This product can expose you to chemicals including Methanol and Ethanediol, which are known to the State of California to cause [birth defects or other reproductive harm](#). For more information, go to www.P65Warnings.ca.gov.

SECTION 16**OTHER INFORMATION****Procedure Used to Derive the Classification**

Classification	Justification
Not Classified	-

Previous Editions: First Published: 04/16/2020

Further Information: This SDS was prepared in accordance with OSHA regulatory standards for Toxic and Hazardous Substances: 29 CFR 1910.1200.

Prepared By: KMK Regulatory Services Inc.

Disclaimer: To the best of our knowledge, the information contained herein is accurate. However Anvil Paints & Coatings, Inc. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be handled with care. Although Anvil Paints & Coatings, Inc. has described herein all of the hazards to which we are currently aware, we cannot guarantee that these are the only hazards which exist.